


오픈소스를 여행하는

히치하이커를 위한 안내서






88




88 Orgs

현재까지 기여한 오픈소스 조직



1.6k



1.6k

현재까지 생성한 풀 리퀘스트

발표자 소개

한 종우 @jongwooo

- 2023 OSSCA FOSSLight Hub 멘토
- 2022 OSSCA FOSSLight Hub 멘티
- FOSSLight Hub Maintainer
- Kubernetes organization Member
- Kubernetes/website Member
- Istio organization Member

Overview Repositories 64

Pinned

- [kubernetes/kubernetes](#) Public
Production-Grade Container Scheduling and M
Go 101k 37.6k
- [fosslight/fosslight](#) Public
FOSSLight Hub : Integrated management web
Compliance Process
Java 143 107

Jongwoo Han
jongwooo

Follow Sponsor

DevOps | Open Source Enthusiast
166 followers · 256 following

@fosslight
Seoul, Korea
10:26 - same time
thearchivelog.dev
@_jongwooo
in/jongwooo

Achievements

- x3
- x4
- x2

5,584 contributions in the last year

	Sep	Oct	Nov	Dec	Jan
Mon	■	■	■	■	■
Wed	■	■	■	■	■
Fri	■	■	■	■	■

Learn how we count contributions

@reactjs @kubernetes

Activity overview

- Contributed to [jongwooo/gatsby-ca](#), [jongwooo/blog](#), [jongwooo/gatsby-starter-types...](#) and 264 other repositories

2022 OSSCA

FOSSLight Hub 리드 멘티



jongwooo reviewed on Sep 14, 2022

jongwooo left a comment • edited ▾

@myway00 As a general rule, when creating a pull request from a feature branch w squash your commits. There are exceptions, but in most cases, squashing results in a cleaner history for the team to read.



jongwooo reviewed on Sep 14, 2022

jongwooo left a comment

In my opinion, It is better to use `const` by default.



src/main/webapp/WEB-INF/views/admin/project/list-js.jsp Outdated

src/main/resources/static/js/tutorial/tutorial-header.js Outdated

src/main/resources/static/js/tutorial/tutorial-header.js Outdated

```
5 + let $button1 = $(document.getElementById("proj_list"))
6 +
7 + // 하이라이트할 요소들의 배열 (button 1, 2, 3, 4)
8 + let array_highlights = [$button1];
```

jongwooo on Sep 14, 2022 • edited ▾

How about using camel case?



Reply...

“**OSSCA** 끝나면 뭐하지?”

“**OSSCA** 하셔야죠!”

2023 OSSCA

FOSSLight Hub 멘토

내는 루틴 (ex.
에 활동하기 때
자유시간도 줄
고려하셔야 합

멘토 혜택

- 명예? ㅠㅠ

에(게) 메,

+



@

Aa

“근데 **뭐부터** 해야 하지? 🙄”

Fix if statements without curly braces

Merged


Min-Kyungsun merged 1 commit into `fosslight:develop` from

Conversation 0

Commits 1

Checks 4

File



jongwoo commented on Jan 5 • edited ▾

Signed-off-by: jongwoo jongwoo.han@gmail.com

Description

Closes [#777](#)

It is generally considered a best practice to use curly braces with if statements that consist of only a single statement. This helps to avoid mistakes and

I found if statements without curly braces in the project through the

```
$ find . -name '*.java' | xargs egrep '^\s*if[^\{]*\s*$' -
```

There are 311 if statements without curly braces, as calculated by the script above. They have been corrected.

References

- [새로 입사한 개발자가 프로젝트에 기여하는 방법 한 가지 - 컬리 기술 블로그](#)

Type of change

- Bug fix (non-breaking change which fixes an issue)

컨벤션 지키기

차근차근 하나씩 지켜요

리뷰어로 가는 길

천리 길도 한 걸음부터



jongwoo suggested changes on Feb 12

src/main/webapp/WEB-INF/views/session/login.jsp **Outdated**

Comment on lines 365 to 367


365 +
366 +
367 +

jongwoo on Feb 12

Please move this code into the span tag where class name is "joinGo" (line



han-gyeong on Feb 15



Changed, thanks for the review!



Reply...

“새로운 **경험**이 필요해! 🌟😊”

Assignee 되기

나 이거 할 수 있나..?

Add Spring Authorization Server

🔒 Closed

wilkinsona opened this issue on Mar 25 · 6 comments



wilkinsona commented on Mar 25

Spring Boot 3.1.0-M2 has added a new starter, `spring-boot-starter-authorization-server`. We should offer a corresponding dependency.



wilkinsona added the `type: enhancement` label on



jongwooo commented on Mar 28

Can I work on this issue?



대마법사 선생님

메인테이너에게 배워요



jzheaux commented on Jan 6

Thanks, @jongwooo. Will you please rebase this to `5.7.x` so that we can apply



jzheaux self-assigned this on Jan 6



jzheaux added `in: build` `type: enhancement` and removed `status: waiting`



jongwooo commented on Jan 6

@jzheaux I tried to rebase with `git rebase 5.7.x`, but it resulted in a conflict. to rebase it.



jzheaux commented on Jan 7

Try this, please:

```
git checkout 5.7.x
git cherry-pick 7a9eb93b34e0233dd3a3dbc39f2f858639a6c5a9
git push ${remote} +chore/use-setup-java-action-to-cache-dependencie
```

where `${remote}` is the remote for your fork. It may be `origin`, for example.

Then, change the base of this PR to `spring-projects:5.7.x`.



굿즈 컬렉터

기여하면 굿즈를 준다?

Thanks for 931e392 committed to pulumi/pulumi 받은편지함



Aaron Kao <kao@puluml.com>

나에게 ▾

Jongwoo,

Just wanted to say thank you for contributing this <https://github.com/puluml/puluml/commit/931e392>

Was wondering if you could send me your address so I can spend you some special swag as

Best,

Aaron



한종우

Hi Aaron, Thank you for your kind words. I'm glad to have contributed to the project. I appreciate



Aaron Kao <kao@puluml.com>

나에게 ▾

Ok, a special mug is on its way to you.

Aaron



Thank you very much!

Thanks a lot!

← 답장

→ 전달



New OpenSource

대형 오픈소스에서 배우는
컨트리뷰션 레시피



seokho-son commented on Mar 23

++1

I am one of the reviewers for Korean localization contents in k/website
[@jongwoo](#) is active and responsive contributor especially for SIG-Do



yoonian commented on Mar 23

+1

Thanks for contributing! I hope you continue to enjoy it. 😊



[Priyankasaggu11929](#) mentioned this issue on Mar 24

Add members 2023-03-24 #4124



[Priyankasaggu11929](#) commented on Mar 24

/assign

[@jongwoo](#), thank you for all your contributions so far 😊

I've created PR [#4124](#) to add you to the Kubernetes(s) Org. Once that notification.

Welcome to [@kubernetes](#)! 🎉



새로운 도전

새로운 역할, 새로운 책임

 **jongwooo** last week

Suggested change

61	-	* 사용자 식별자(UID): 사용자	를 식별하는 문자열로, 사용자 이름보다 일
61	+	* 사용자 식별자(UID): 엔드 유저	를 식별하는 문자열로, 사용자 이름보다




Reply...

98 hidden conversations
[Load more...](#)

content/ko/docs/reference/access-authn-authz/authentication.md

1279	+	Extra: skills	[reading learning]
1280	+	Extra: subjects	[math sports]
1281	+	...	
1282	+	output 플래그를 제공함으로써	결과의 JSON 또는 YAML 표현을 출력하는

 **jongwooo** 3 days ago

Suggested change

1282	-	output 플래그를 제공함으로써	결과의 JSON 또는 YAML 표현을 출력하는
1282	+	output 플래그를 제공함으로써	결과의 JSON 또는 YAML 형식을 출력하는



Reply...

content/ko/docs/reference/access-authn-authz/authentication.md

1352 +

맛있다! 오픈소스

한 번 드셔보세요!



감사합니다

 GitHub @jongwooo